



Review Article

A Review on Microwave Assisted Green Synthesis of Bioactive Heterocycles

Samrat Khedkar, Mahesh Pingale, Nikita Pol*, Priyanka Chendke, Om Walke

Department of Pharmaceutical Chemistry Vidya Niketan College of Pharmacy, Lakhewadi, Indapur, Pune

On this assessment we provide an explanation for all of the specific statistics about Microwave assisted synthesis. Now a days the Microwave very much useful in to Microwave assisted synthesis reaction for inexperienced chemistry paintings through the various reactions. This is to begin with used by the shop energy and charge of response is fast. Microwave synthesis able to predicting many properties and fee of synthesis reaction is speedy in small time frame to get from product. All kind chemical response synthesis is also carried out by means of this microwave. Various authors' words on their subject by means of the usage of this Microwave assisted synthesis. I display interest into microwave due to this is very useful for acting synthesis of response. In microwave numerous principals are added and this can be beneficial or beneficial to guide scientist.


Keywords: Microwave assisted synthesis, Green chemistry, Microwave, Heterocyclic.

INTRODUCTION

Microwave chemistry involves the utilization of microwave radiation to facilitate chemical reactions. Conventional organic synthesis strategies face several demanding situations, which include the immoderate use of luxurious raw substances, widespread time requirements, and, most critically, sizable chemical waste that contributes to disburden. For hundreds of years, traditional heating techniques, along with Bunsen burners, oil baths, and warm mantles, were hired to behavior chemical reactions. those techniques aren't most effective exertions-in depth and time-eating however also in efficient in terms of energy and resource use . Additionally, they generate hot surfaces on response vessels, leading to the decomposition of reagents over time and the formation of poisonous byproducts. The reliance on solvents in those strategies in addition complicates subjects, as many solvents are risky to each health and the surroundings, necessitating additional healing strategies. The restrictions of conventional heating strategies can be addressed through alternative strategies, with microwave generation being a

distinguished instance. The pursuit of recent synthetic pathways for compound synthesis remains a big and challenging goal for synthetic chemists . whether or not through big scale or small scale efforts , the search for an ideal artificial direction one which minimizes environmental impact and decreases synthesis charges affords substantial clinical and highbrow challenges, requiring meticulous strategic planning. Consequently, a diffusion of techniques is presently being explored to sell green chemistry in research endeavors. The microwave-assisted natural synthesis approach has established the capacity to beautify the efficiency of chemical reactions by way of growing velocity, enhancing yields, reducing by products, and generating purer desired merchandise in a cleanser way. This method gives several benefits over conventional techniques, as microwave heating selectively targets the reaction mixture without heating the entire surface of the appliance, in contrast to conventional strategies that rely upon conduction to heat the mixture. This technique minimizes the advent of unwanted by

products, thereby improving yield and making sure a greater green synthesis manner. Moreover, it circumvents the need for large portions of harmful organic solvents, a drawback regularly encountered in conventional synthesis methods. Those characteristics position microwave assisted synthesis as a prime instance of green chemistry. Green chemistry, additionally known as "environmentally benign chemistry," is an emerging subject that emphasizes the 4 R's: Reuse, reduce, Recycling, and restoration. The number one goal of inexperienced chemistry is to minimize the reliance on toxic solvents and cast off the use of unsafe substances in chemical synthesis. Regularly termed sustainable, it embodies a philosophy in chemical research and engineering that advocates for the design of merchandise and methods



A microwave is a form of electromagnetic strength that falls at the lower frequency of the electromagnetic spectrum inside the range of three hundred to three hundred, 000 MHz. within this area of electromagnetic strength simplest molecular rotation is affected no longer the molecular shape. However for their use in laboratory reactions, a frequency of 2.45 GHz is favored because it has the right penetration intensity for laboratory reaction conditions. Microwave (MW) radiation has widely been used in chemistry as an strength source due to the capability of particular compounds (solids or liquids) to convert electromagnetic power into warmness. Microwave irradiation has several benefits over traditional heating protocols, which include homogeneous and rapid heating (excessive internal heating), mind blowing response accelerations because of the heating

aimed at decreasing the use and generation of dangerous substances in experienced chemistry is predicated on using environmentally pleasant substances to prevent the introduction of dangerous waste. Horvath et al. have characterized sustainable chemistry because the precept that resources, along with strength, ought to be utilized at a rate that allows for herbal replenishment, and that waste technology need to no longer exceed the fee at which it can be controlled. In the 1990s, Paul Anastas and John C. Warner introduced twelve concepts of green chemistry, which advice for environmentally responsible practices from the preliminary product design thru to its synthesis, processing, evaluation, and eventual disposal.

charge (which are often not possible to replicate with conventional heating), and selective heating

Applications Of Green Cheistry:

Microwave Assisted organic Synthesis (MAOS) is identified as an environmentally pleasant technology because of its large applications in significantly improving numerous natural reactions. This technique gets rid of the need for extended heating, resulting in high yields and greater selectivity, while also generating purifier products. Further ore, many natural reactions may be carried out without solvents.

III. Microwave Assisted Synthesis Uses:

MAOS has emerged as a essential aid for chemists searching for speedy and green natural synthesis. A giant body of studies on MAOS is available in each

published works and patent literature. Numerous critiques, several books, and on-line assets offer comprehensive insights into this subject matter. Microwaves serve as a warmness source for chemical synthesis, and it's far predicted that they will end up the important heating method in laboratories within the close to future. D. M. P. Mingos and associates have provided an in-depth analysis of the theoretical principles underlying microwave dielectric heating. Gedye and de los angeles Hoz have explored the proposed 'unique microwave impact,' even as Loupy and others have posted a couple of critiques on solvent-loose microwave-assisted reactions. Moreover, Strauss has documented organic synthesis carried out in high-temperature aqueous environments. these days, a take a look at mentioned on Microwave-Assisted Condensation Reactions concerning Acetophenone Derivatives and Activated Methylene Compounds with Aldehydes, catalyzed by way of Boric Acid below solvent-loose conditions. The synthesis of multi component compounds, along with 3-(4-Arylmethylamino) butyl-5-arylidene-rhodanines the use of microwave irradiation, has additionally been currently documented. Microwaves are a form of electromagnetic radiation located on the lower frequency give up of the electromagnetic spectrum. This microwave location is placed among infrared radiation and radio frequencies, similar to wavelengths starting from 1 cm to one m (with frequencies from 30 GHz to 300 MHz, respectively). domestic and business microwave ovens normally function at frequencies of 2450 MHz (12.2 cm) or 900 MHz (33. three cm).

IV. Microwave Assisted Synthesis Of Heterocyclic Compounds:

Microwave chemistry is the technological know-how of applying microwave radiation to chemical reactions. Microwave synthesis represents a chief step forward in the artificial chemistry methodology; a dramatic alternate within the manner chemical synthesis is completed. Microwave assisted natural synthesis has revolutionized natural synthesis. In evaluation to the number and variety of such heterocyclic compounds, the variety of synthetic methods to manage to pay for sulfur and nitrogen containing molecules is in

exercise constrained to the supply of the ideal sulfur or nitrogen reagent. From time to time the education of those heterocyclic systems through conventional approaches is difficult work that means many artificial steps and vast starting material. Due to those motives the various opportunities provided by means of the microwave generation are especially appealing in which speedy, high-yielding protocols and the avoidance or facilitation of purification is notably appropriate. Therefore, the prevailing literature survey consists of synthesis of heterocyclic nucleus based on microwaves.

V. Mechanism of Heat Generation by Microwaves:

1. Dipolar Polarization

The manner of heat era in microwave-assisted synthesis is typically attributed to dipolar polarization. When uncovered to microwave radiation, molecules that own a everlasting dipole second align themselves with the electric subject of the microwaves. This alignment results in molecular oscillation and subsequent collisions a number of the molecules. The friction generated from those oscillations out comes inside the production of warmth. consequently, for a reagent to be microwave energetic, it should have a dipole second and be polarizable. The heating effect is extra mentioned in molecules with better polarizability. consequently, microwave heating is effective only for polar materials which include water, methanol, ethanol, ammonia, and formic acid, at the same time as non-polar molecules do now not interact with microwave radiation.

2. Ionic Conduction

Ionic conduction includes the rapid superheating of ionic materials because of the motion of electrical costs whilst an electric powered field is implemented. The motion of ions increases the rate of collisions, changing kinetic energy into warmness. Because the temperature rises, electricity transfer will become greener. Ionic drinks, specially, take in microwave radiation efficiently and facilitate rapid electricity transfer thru ionic conduction. For instance, when distilled water and tap water samples are heated in a unmarried-mode microwave cavity at a regular strength level for a fixed length, the tap water sample

reaches a better final temperature. This phenomenon takes place because of the interplay of the electrical subject with the pattern, in which the heat generated from ionic conduction, due to the presence of ions, complements the heat produced thru dipolar polarization, ensuing in an accelerated final temperature in the faucet water.

3. Rapid Reaction Rates

Analysis of the prevailing experimental data indicates that microwaves can enhance heating fees by using a aspect of lots as compared to standard heating techniques. In a microwave reactor, the microwave energy supply does not come into direct contact with the sample being heated, ensuing within the speedy final touch of the response.

4. Interfacial Polarization

The interfacial polarization method can be considered as a combination of both the conduction and dipolar polarization mechanisms. It is important for heating systems that comprise a conducting material dispersed in a non-conducting material.

VI. Microwave Theory:

Microwave irradiation, running at a frequency of two .forty five GHz to avoid interference with telecommunications, is a shape of electromagnetic



High Voltage Transformer

A microwave reactor necessitates a excessive voltage deliver, normally starting from 3000 to 3400 V. To generate this voltage, a high voltage transformer is hired, making use of various capacitors to amplify the electric contemporary. This process guarantees that

radiation with photon energy too low to break chemical bonds or without delay set off chemical reactions. Instead, microwave superior chemistry relies on dielectric heating, wherein substances inclusive of solvents or reagents take in microwave electricity and convert it into warmth. This heating happens mostly via mechanisms: dipolar polarisation, wherein molecular dipoles attempt to align with the oscillating electric field and create warmth because of friction and dielectric loss; and ionic conduction, wherein charged debris oscillate and purpose heating thru collisions with neighboring molecules. The frequency used permits molecules enough time to in part align with the field, maximizing heat technology with out following the sphere flawlessly.

VII. Instrumentation:

Microwave-assisted synthesis is carried out inside specialized microwave reactors, which usually include 5 primary components: a excessive voltage transformer, a magnetron, a waveguide, a cooling fan, and a cavity.

Two types of microwave reactors can be used in the laboratory:

1. Multimode Batch Reactors
2. Single Mode Instrument



the reactor receives the essential power for its operation.

Magnetron

The magnetron is composed of essential elements: a vacuum tube and two ring-fashioned magnets that encircle the tube. The vacuum tube itself consists of a

copper anode and a crucial filament crafted from tungsten and thorium. The magnetron receives excessive voltage from the transformer, converting microwave strength into thermal electricity by creating a diode that directs electrons via magnetic fields. The ring-formed magnets manual the electrons lower back to the crucial filament, resulting inside the generation of oscillating waves.

Waveguide

The number one function of the waveguide is to channel the waves produced by way of the magnetron in a selected path, functioning as a guiding conduit. It's miles built as a hole metallic tube with reflective internal partitions, which mirror the waves back and forth until they reach the cavity.

Cooling Fan

To save you overheating of the microwave reactor, a cooling fan is integrated to use up excess heat.

Cavity

The cavity is a sealed steel structure that acts as an oscillator. Within this hollow space, microwaves oscillate as standing waves, reflecting off the walls of the steel shape. This is facilitated by using the arrangement of two reflectors on both facet, which lets in the waves to superimpose, thereby growing their depth.

VIII. The Benefits of Employing Microwave Heating in Chemical Synthesis Can Be Summarized as Follows:

1. Step forward response charges.
2. Reduced reaction instances.
3. More advantageous chemical yields.
4. Uniform and selective heating
5. Milder reaction situations.
6. Reduced power consumption: Microwaves on the whole goal the sample, resulting in lower electricity utilization.

7. Fewer through merchandise, which results in higher purity and allows a more green work up and purification method.

8. Environmentally friendly and solvent-unfastened synthesis as compared to standard methods.

9. Simplified artificial techniques: The microwave technique operates at accelerated temperatures, accelerating the reaction price.

10. Faster reactions: studies shows that microwave-assisted methods are extra sustainable than conventional procedures, substantially increasing reaction speed.

11. Decreased via-merchandise: This approach improves yields and purity, with aspirin synthesis attaining yields exceeding 80%.

IX. APPLICATIONS:

- ❖ Used for synthesis of pharmaceutical drugs (antibacterial, antifungal, anticancer agents)
- ❖ Helps in rapid drug discovery and development
- ❖ Applied in medicinal chemistry research for new bioactive compounds
- ❖ Used for preparation of benzimidazole, oxadiazole, imidazole derivatives
- ❖ Applied in green chemistry to reduce solvent use and pollution
- ❖ Used in industrial production of heterocyclic compounds
- ❖ Helps in synthesis of complex and fused heterocycles
- ❖ Applied in agrochemical synthesis (pesticides, herbicides, fungicides)
- ❖ Provides high yield and high purity of products
- ❖ Reduces reaction time from hours to minutes
- ❖ Saves energy and cost in chemical processes
- ❖ Produces fewer side products (high selectivity)

- ❖ Useful in academic and laboratory research work
- ❖ Applied in synthesis of bioactive natural product analogs

X. Synthesis:

1. Synthesis of Phenacetin:

Microwave-Assisted Reaction:

Step I: Dissolve 2 grams of p-amino phenol in 6 milliliters of distilled water inside a conical flask. Introduce 2.2 milliliters of acetic anhydride even as stirring the mixture. Vigorously shake the reaction mixture and gently warmness it in a water bath tub till a nearly clear solution is acquired. Subsequently, cool the conical flask in an ice tub. Filter out the resulting product, wash it with cold water, and recrystallize it the use of hot water.

Step II: In a round -bottom flask, vicinity 0.5 grams of easy sodium and add 10 milliliters of absolute alcohol. Once the energetic response has subsided, if any sodium remains undisclosed, warm the flask in a water bath till whole dissolution takes place. Allow the reaction mixture to chill, then include three grams of p-acetyl amino phenol. Regularly add four grams (2 milliliters) of ethyl iodide via a condenser. Subject the combination to microwave irradiation at 340 watts for five mins. In a while, pour in 20 milliliters of water and funky the round-bottom flask in an ice tub. Filter out the product and wash it with bloodless water. If the answer reveals coloration, dissolve the crude product in 20 milliliters of rectified spirit. Upload 1 gram of activated charcoal and filter the combination. Treat the clear solution with hot water and allow it to chill. Ultimately, filter out the usage of a pump and dry the product. Melting point: 132-134°C.

2. Synthesis Of P-Acetamidobenzenesulphonyl Chloride:

Microwave-Assisted Reaction: In a 250ml spherical-bottom Erlenmeyer flask, regularly introduce 6 grams of dry powdered acetanilide into 14ml of chlorosulphonic acid even as every now and then shaking the aggregate. Subject the aggregate to microwave irradiation at 340 watts for 10 mins. After

irradiation, permit the mixture to chill, and then carefully pour it over about 30 grams of beaten ice, resulting within the precipitation of sulphonyl chloride as a white stable. Filter out the sulphonyl chloride, wash it with water, and permit it to drain. Recrystallize the product the usage of chloroform. Melting factor: 147-149°C.

3. Synthesis of Benzoic Acid

Microwave-Assisted Reaction: In a 250 ml spherical backside flask, combine 3 grams of benzanilide with 10 ml of sulfuric acid. Subject the combination to microwave irradiation at 225 watts for 10 minutes. During this manner, a few benzoic acids will vaporize and sooner or later condense in the condenser. To facilitate the dislodging and partial dissolution of the benzoic acid, introduce 30 ml of hot water into the condenser. Later on, cool the flask in an ice-water bath, then clear out the mixture the usage of a Buchner funnel and allow it to dry. The melting factor of the product is one hundred twenty-122°C.

CONCLUSION:

Green Chemistry, imparting a sustainable and efficient opportunity to standard organic synthesis. By using microwave irradiation, this approach enhances response fees, improves yields, and minimizes byproduct formation even as decreasing the reliance on dangerous solvents. The mechanisms of microwave heating, together with dipolar polarization and ionic conduction, enable selective and uniform energy switch, main to purifier and greater chemical methods. Comparative research verify the advantages of MAOS in numerous natural reactions, highlighting its capacity for huge adoption in artificial chemistry. In spite of sure obstacles, such as protection concerns and solvent-unique absorption problems, MAOS is a promising era that aligns with the principles of inexperienced chemistry, paving the manner for more sustainable and strength green chemical studies and industrial applications.

REFERENCES

1. M. A. Surati, S. Jauhari, K. R. Desai, A brief review: Microwave assisted organic reaction,

- Archives of Applied Science Research, (2012) 4(1): 645-661.
- Lidstrom P., Tierney J., Wathey B., Microwave assisted synthesis –a review, *Tetrahedron* 2001; 57: 9225-9283.
 - S. Nain, R. Singh, S. Ravichandran, Importance of microwave heating in organic synthesis, *Advanced Journal of Chemistry*, (2019) 2(2): 94-104.
 - A. S. Grewal, K. Kumar, S. Redhu, S. Bhardwaj, Microwave assisted synthesis: A Green chemistry approach, *International Research Journal of Pharmaceutical and Applied Sciences*, (2013) 3(5): 278-285.
 - R. Gedye, F. Smith, S. Westaway, H. Ali, L. Baldisera, L. Laberge, J. Rousell, *Tetrahedron Lett.* 27(1986)279.
 - A. K. Nagariya, A. K. Meena, A. K. Yadav, U. S. Niranjana, A. K. Pathak, B. Singh, M. M. Rao, Microwave assisted organic reaction as new tool in organic synthesis, *Journal of Pharmacy Research*, (2010)3(3): 575-580
 - Panwar N.L., Kaushik S.C., Kothari S. *Renewable and Sustainable Energy Reviews*, 2011, 15:1513 [Crossref], [Google Scholar], [Publisher];
 - Ibukun Aduloju E., Yahaya N., Mohammad Zain N., Kamaruddin M.A., Abd Hamid M.A. *Adv. J. Chem. A*, 2023, 6:198 [Crossref], [Publisher];
 - Wadje B.S., Bhosale V.N. *Journal of Medicinal and Pharmaceutical Chemistry Research*, 2023, 5:82 [Publisher];
 - Ali F., Fazal S., Iqbal N., Zia A, Ahmad F. *Journal of Medicinal and Nanomaterials Chemistry*, 2023, 5:106 [Crossref], [Publisher];
 - Li, C.-J.; Trost, B. M. *Green chemistry for chemical synthesis. Proceedings of the National Academy of Sciences (PNAS)*, 2008, 105, 13197–13202.
 - Driowya M., et al., Microwave-Assisted Synthesis of Bioactive Six-Membered Heterocycles and Their Fused Analogues, *Molecules* (2016).
 - Microwave-Assisted Syntheses of Bioactive Seven-Membered, Macro-Sized Heterocycles and Their Fused Derivatives (review listing >100 references).
 - Adhikari A., Bhakta S., Ghosh T., Microwave-Assisted Synthesis of Bioactive Heterocycles: An Overview, *Tetrahedron* (2022).
 - Majhi S., Mondal K.P., Microwave-Assisted Synthesis of Heterocycles and Their Anti-Cancer Activities, *Curr. Microwave Chem.* (2023).
 - Garella D., et al., Microwave-assisted synthesis of N-heterocycles in medicinal chemistry, *MedChemComm* (2013).
 - Henry M., et al., Benefits and applications of microwave-assisted synthesis (green), *RSC Advances* (2020).
 - Majumder A., Microwave-assisted synthesis of nitrogen-containing heterocycles, *Org. Commun.* (2013).
 - Microwave-Assisted Organic Synthesis: An Eco-Friendly Method (intro review).
 - Adhikari A.J., Devale R.P., Review on Microwave, The General Purpose in Microwave-Assisted Synthesis for Green Chemistry, *Asian J. Res. Chem.* (2022).
 - Javahershenas R., Recent advances in microwave-assisted multicomponent reactions, *RSC Advances* (2024).
 - Fan H., et al., Microwave assisted synthesis, antifungal activity of 1,2,4-triazolo[4,3-a]pyridines, *BMC Chemistry* (2016).
 - Anwer K.E., et al., Green synthesis of heterocyclic pyrazole derivatives for cancer therapy, *BMC Chemistry* (2023).
 - MDPI Proc. Synthesis of Bis-Heterocycles via Groebke-Blackburn-Bienaymé Reaction, *MDPI* (2024).
 - Sauzem P.D., et al., Microwave-assisted synthesis of 5-trifluoromethyl pyrazoles (bioactive heterocycles).

Cite: Samrat Khedkar, Mahesh Pingale, Nikita Pol*, Priyanka Chendke, Om Walke, A Review on Microwave Assisted Green Synthesis of Bioactive Heterocycles, *Int. J. Med. Pharm. Sci.*, 2026, 2 (7), 245-251. <https://doi.org/10.5281/zenodo.21201523>